

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	286	318/268.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/02/27 10:38
2	BRS	L2	6	1 and (coil with flux)	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/02/27 10:32
3	BRS	L3	4	1 and (coil with flux).clm.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/02/27 10:36
4	BRS	L4	0	1 and ((field with (adjust\$6 or modif\$6 or alter\$4)) and torque and speed and (coil near3 fied)) .clm.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/02/27 10:39

	Comments	Error Definition	Errors
1			
2			
3			
4			

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	988	310/179.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/02/27 10:40
6	BRS	L6	0	5 and ((field with (adjust\$6 or modif\$6 or alter\$4)) and torque and speed and (coil near3 fied)) .clm.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/02/27 10:40
7	BRS	L7	707	310/180.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/02/27 10:40
8	BRS	L8	0	7 and ((field with (adjust\$6 or modif\$6 or alter\$4)) and torque and speed and (coil near3 fied)) .clm.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/02/27 10:40

	Comments	Error Definition	Errors
5			
6			
7			
8			

	Type	Hits	Search Text
1	BRS	3977	motor and ((speed or torque) with control\$4) and (driv\$3 near3 signal) and flux
2	BRS	247	S58 and (polarity with flux)
3	BRS	9	S59 and (chang\$3 near3 polarity) with (speed near3 (chang\$3 or reduc\$6 or increas\$3))
4	BRS	31	("3,753,068" "4,782,257" "4,940,035" "5,135,353" "5,505,180" "5,579,738" "5,672,925" "5,715,797" "5,723,928" "5,825,113" "6,373,162" "6,531,799" "6,541,887" "6,563,248").pn.
5	BRS	8	S61 and speed and torque and flux
6	BRS	31	("3,753,068" "4,782,257" "4,940,035" "5,135,353" "5,505,180" "5,579,738" "5,672,925" "5,715,797" "5,723,928" "5,825,113" "6,373,162" "6,531,799" "6,541,887" "6,563,248").pn.
7	BRS	3	S63 and speed and torque and flux and polarity
8	BRS	464	"59" and (generat\$6 near5 flux) and (opposite adj polarities)
9	BRS	2	"s59" and (generat\$6 near5 flux) and (opposite adj polarities)
10	BRS	0	motor and ((speed or torque) with control\$4) and (driv\$3 near3 signal) and ((generat\$6 near3 flux) with (polarit\$3 near3 chang\$3))

	DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 17:24		
2	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 12:56		
3	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 13:09		
4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 17:20		
5	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 16:23		
6	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 16:23		
7	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 16:24		
8	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 17:23		
9	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 17:23		
10	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 17:25		

	Errors	Ref #
1		S58
2		S59
3		S60
4		S61
5		S62
6		S63
7		S64
8		S65
9		S66
10		S67

	Type	Hits	Search Text
11	BRS	6	motor and ((speed or torque) with control\$4) and ((generat\$6 near3 flux) with (polarit\$3 near3 chang\$3))
12	BRS	12	(stator with rotor) and ((generat\$6 near3 flux) with (polarit\$3 near3 chang\$3))
13	BRS	7	S69 not S68
14	BRS	0	"310"/\$.ccls. and rotor and stator and (flux near2 carrier) and (flux with (return adj guide))
15	BRS	3	"310"/\$.ccls. and rotor and stator and (flux near2 carrier) and (flux with return)
16	BRS	2	motor and ((armature or rotor) with ((wrap\$4 adj around) near6 (field adj3 windings)))
17	BRS	52	((fuel adj pump) with (speed or pressure)) and (motor with flux)
18	BRS	3	S74 and (coil with opening)
19	BRS	1	S75 not S73
20	BRS	1	S76 and coil
21	BRS	547	"310"/\$.ccls. and ((rotor near3 winding) and (field with flux)) and speed and torque
22	BRS	329	S78 and ((flux or (magnet\$3 near3 field)) with (increas\$3 or maximiz\$3 or adjust\$6))
23	BRS	1	S79 and (flux near3 carrier)

	DBs	Time Stamp	Comments	Error Definition
11	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 17:31		
12	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 17:32		
13	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 17:34		
14	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 11:26		
15	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/18 17:36		
16	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/07 13:07		
17	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/04 13:04		
18	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/07 13:19		
19	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/07 13:36		
20	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/07 13:36		
21	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 11:28		
22	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 11:31		
23	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 11:31		

	Errors	Ref #
11		S68
12		S69
13		S70
14		S71
15		S72
16		S73
17		S74
18		S75
19		S76
20		S77
21		S78
22		S79
23		S80

	Type	Hits	Search Text
24	BRS	52	((fuel adj pump) with (speed or pressure)) and (motor with flux)
25	BRS	3	S81 and (coil with opening)
26	BRS	2	((fuel adj pump) with (speed or pressure)) and (flux near2 carrier) and rotor and ((magnetic adj field) with (increas\$3 or strenth\$6 or adjust\$6 or modif\$6))
27	BRS	0	(motor with artmature) and (flux near2 carrier) and rotor and ((magnetic adj field) with (increas\$3 or strenth\$6 or adjust\$6 or modif\$6))
28	BRS	0	(motor with (artmature near6 (field near3 winding))) and flux and ((magnetic adj field) with (increas\$3 or strenth\$6 or adjust\$6 or modif\$6))
29	BRS	0	(motor with (artmature near6 (field near3 winding))) and flux and (magnetic adj field)
30	BRS	233	(motor with (armature near6 (field near3 winding))) and flux and (magnetic adj field)
31	BRS	2	S87 and (flux near2 carrier) and rotor and ((magnetic adj field) with (increas\$3 or strenth\$6 or adjust\$6 or modif\$6))
32	BRS	158	(motor with (armature near6 (field near3 winding))) and flux and (magnetic adj field) and torque and speed
33	BRS	93	(motor with (armature near2 (field near2 winding))) and flux and (magnetic adj field) and torque and speed

	DBs	Time Stamp	Comments	Error Definition
24	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:11		
25	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:11		
26	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:17		
27	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:21		
28	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:20		
29	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:20		
30	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:22		
31	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:55		
32	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:54		
33	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:54		

	Errors	Ref #
24		S81
25		S82
26		S83
27		S84
28		S85
29		S86
30		S87
31		S88
32		S89
33		S90

	Type	Hits	Search Text
34	BRS	1	\$89 and ((flux near2 carrier) with (motor or rotor)) and ((magnetic adj field) with rotor) and ((increas\$3 or strenth\$6 or adjust\$6 or modif\$6))
35	BRS	85	\$89 and ((magnetic adj field) with rotor) and ((increas\$3 or strenth\$6 or adjust\$6 or modif\$6))
36	BRS	38	\$89 and ((magnetic adj field) with rotor) and (flux with (increas\$3 or strenth\$6 or adjust\$6 or modif\$6))
37	BRS	43	(amortisseur near3 (winding or coil)) and (motor near4 speed)
38	BRS	0	\$94 and (field adj modif\$6)
39	BRS	24	\$94 and (magnetic adj field)
40	BRS	43	(amortisseur near3 (winding or coil)) and (motor near4 speed)
41	BRS	7	\$97 and ((magnetic adj field) with (increas\$3 or maximiz\$3 or adjust\$6))
42	BRS	7	\$98
43	BRS	100	((magnetic adj field) with (increas\$3 or maximiz\$3 or adjust\$6)) and stator and rotor and gap and carrier
44	BRS	8	\$100 and ((driv\$3 near3 signal) with rotor)

	DBs	Time Stamp	Comments	Error Definition
34	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:58		
35	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/10/11 14:59		
36	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/03 14:05		
37	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/01 16:05		
38	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/01 16:06		
39	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/02 13:33		
40	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/02 13:34		
41	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/02 13:44		
42	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/02 13:34		
43	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/02 15:55		
44	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/02 13:45		

	Errors	Ref #
34		S91
35		S92
36		S93
37		S94
38		S95
39		S96
40		S97
41		S98
42		S99
43		S100
44		S101

	Type	Hits	Search Text
45	BRS	0	((magnetic adj field) with (increas\$3 or maximiz\$3 or adjust\$6)) and stator and rotor and gap and carrier and (first near3 (magnetic adj field)) and (second near3 (magnetic adj field)) and (third near3 (magnetic adj field))
46	BRS	3	stator and rotor and gap and carrier and (first near3 (magnetic adj field)) and (second near3 (magnetic adj field)) and (third near3 (magnetic adj field))
47	BRS	0	stator and rotor and carrier and (modification near3 (magnetic adj field))
48	BRS	17	stator and rotor and carrier and (modif\$8 with (magnetic adj field))
49	BRS	17	("4117519" or "3904901" or "4149114" or "4368418" or "4379257" or "4641080" or "4812607").pn.
50	BRS	3	\$106 and speed and torque and flux and field and rotor and stator
51	BRS	17	("4117519" or "3904901" or "4149114" or "4368418" or "4379257" or "4641080" or "4812607").pn.
52	BRS	4	("4149114").URPN.
53	BRS	281	(induct\$6 adj2 motor) and ((squirrel adj cage) adj2 rotor) and coil and winding
54	BRS	11	\$110 and (field adj winding) and (coil with flux) and ((speed or torque) near3 control\$3)
55	BRS	2	"5206574".pn.
56	BRS	2	jp-63001353-\$.did.

	DBs	Time Stamp	Comments	Error Definition
45	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/02 15:56		
46	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/02 16:10		
47	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/02 16:11		
48	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/02 16:11		
49	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/03 14:07		
50	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/03 14:07		
51	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/03 15:46		
52	USPAT	2005/11/03 16:38		
53	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/03 16:40		
54	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/03 16:42		
55	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/04 13:05		
56	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/04 13:06		

	Errors	Ref #
45		S102
46		S103
47		S104
48		S105
49		S106
50		S107
51		S108
52		S109
53		S110
54		S111
55		S112
56		S113

	Type	Hits	Search Text
57	BRS	2	S113

	DBs	Time Stamp	Comments	Error Definition
57	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/11/04 13:06		

	Errors	Ref #
57		S114